



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/516,035 | 03/01/2000 | Robert A. Cohen | US 000050 | 3183 |

7590 12/24/2003
PHILIPS ELECTRONICS NORTH AMERICAN CORP
580 WHITE PLAINS RD
TARRYTOWN, NY 10591

EXAMINER

PHILIPPE, GIMS S

| ART UNIT | PAPER NUMBER |
|----------|--------------|
|----------|--------------|

2613

DATE MAILED: 12/24/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/516,035

Applicant(s)

COHEN ET AL.

Examiner

Gims S Philippe

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 October 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4 and 6-20 is/are rejected.
- 7) ☒ Claim(s) 5 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ 6) ☐ Other: _____

Response to Amendment

1. Applicant's amendment received on October 3rd 2003 in which claim 9 was amended has been fully considered and entered, but, the arguments with respect to claims 1-3, and 6-20 are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-4, 6-8, 11, and 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li (US Patent no. 6,275,531) in view of Mishra (US Patent no. 6,075,768).

Regarding claims 1 and 17-19, Li discloses a method for streaming scalable video including a base layer data and enhancement layer data (See Li's Abstract). The method comprising the steps of transmitting the base layer for a given interval within a plurality of time intervals (See Li fig. 1, items 30 and 60, and col. 3, lines 20-21), selecting a predetermined number of frames to distribute (See Li col. 3, lines 39-43). The applicant should duly note that the claimed "*predetermined number of frames*" if found in Li's N number of enhancement layer data. The method comprises the steps of calculating a reduced amount of enhancement layers data to transmit in the

Art Unit: 2613

predetermined number of frames (See Li col. 3, lines 59-64), and transmitting the reduced amount of enhancement layer data in the given interval (See Li col. 3, lines 58-67 and col. 4, lines 1-3).

It is noted that Li does not specifically disclose determining loss of bandwidth occurring as one of the factors for effecting the number of enhancement layers to be transmitted as specified in claim 1.

However, Mishra discloses a method and apparatus for streaming scalable video including the step of determining loss of bandwidth occurring as one of the factors for effecting the number of enhancement layers to be transmitted (See Mishra col. 9, lines 54-67, col. 10, lines 1-19).

Therefore, it is considered obvious that one skilled in the art at the time of the invention would recognize the advantage of determining if a loss of bandwidth has occurred in a given interval, and would be motivated to look to Mishra's step of determining the loss to incorporate such step in Li's method and apparatus. The motivation for performing such determination is to avoid the degradation in the image quality due to a sudden loss of bandwidth as a result of network overload as taught by Mishra (See Mishra col. 1, lines 32-43).

As per claims 2 and 20, most of the limitations of this claim have been noted in the above rejection of claim 1. In addition, Li further discloses the same method comprising transmitting non-enhancement layer during a given interval (See Li col. 5, lines 48-49, and col. 9, lines 53-55) wherein the guaranteed base layer is a non-enhancement layer.

As per claims 3 and 8, most of the limitations of this claim have been noted in the above rejection of claim 1.

It is noted that Li is silent about distributing the loss of bandwidth evenly over the predetermined number of frames.

However, Mishra discloses distributing the loss of bandwidth evenly over the predetermined number of frames (See Mishra col. 9, lines 30-38).

Therefore, it is considered obvious that one skilled in the art at the time of the invention would recognize the advantage of modifying Li's apparatus and method for streaming scalable video by incorporating Mishra's step of distributing the loss of bandwidth evenly over the predetermined number of frames. The motivation for performing such modification in Li is to reduce the difference in image quality between different video streams so that all streams cover the same level of image quality as taught by Mishra (See Mishra col. 3, lines 4-14).

As per claim 4, most of the limitations of this claim have been noted in the above rejection of claim 1.

It is noted Li is silent about determining if there is still space in the given interval in order to transmit at least a portion of a reduced amount of enhancement layer from a second interval as specified in claim 4.

However, in col. 3, lines 60-64, Li discloses "*determining a number of M enhancement layers capable of being received from the transmission channel*". It should be noted that in order to determine a number of additional enhancement layer data capable of being received from the transmission channel at least the enhancement encoder must determine the amount of space available when negotiating with the network.

Therefore, it is considered obvious that one skilled in the art at the time of the invention would recognize the advantage of determining if there is still space in the

Art Unit: 2613

given interval in order to transmit at least a portion of a reduced amount of enhancement layer from a second interval. The skilled artisan would be motivated to look to Li's prioritization step (See Li col. 5, lines 41-67) to determine if there is still space in the given interval in order to transmit at least a portion of a reduced amount of enhancement layer from a second interval. The motivation being that if more space is available in the given interval the finer the granularity of the reconstructed video image will be.

As per claim 6, most of the limitations of this claim have been noted in the above rejection of claim 1. In addition, Li discloses the same method for streaming scalable video wherein the enhancement layer has a fine grain scalability structure (See Li col. 3, lines 1-17).

Regarding claims 7-8, Li discloses a method for streaming scalable video including a base layer data and enhancement layer data (See Li's Abstract). The method comprising the steps of transmitting the base layer for a given interval within a sequence of time intervals (See Li fig. 1, items 30 and 60, and col. 3, lines 20-21), selecting a predetermined number of frames (See Li col. 3, lines 39-43). The applicant should duly note that the claimed "*predetermined number of frames*" is found in Li's N number of enhancement layer data. The method comprises the steps of producing a reduced amount of enhancement layer data (See Li col. 3, lines 59-64), and transmitting the reduced amount of enhancement layer data in the given interval (See Li col. 3, lines 58-67 and col. 4, lines 1-3). The applicant should also note that the claimed "*given interval*" is analogous to Li's interval disclosed in col. 1, lines 46-47.

Art Unit: 2613

It is noted that Li is silent about distributing the loss of bandwidth evenly over the predetermined number of frames as one of the factors for effecting the number of enhancement layers to be transmitted as specified in claim 7.

However, Mishra discloses distributing the loss of bandwidth evenly over the predetermined number of frames (See Mishra col. 9, lines 30-38).

Therefore, it is considered obvious that one skilled in the art at the time of the invention would recognize the advantage of modifying Li's apparatus and method for streaming scalable video by incorporating Mishra's step of distributing the loss of bandwidth evenly over the predetermined number of frames. The motivation for performing such modification in Li is to reduce the difference in image quality between different video streams so that all streams cover the same level of image quality as taught by Mishra (See Mishra col. 3, lines 4-14).

Regarding claim 11, Li discloses an apparatus for streaming scalable video including a base layer data and enhancement layer data (See Li's Abstract). The apparatus comprising means for transmitting the base layer for a given interval (See Li fig. 1, items 30 and 60, and col. 3, lines 20-21), means for selecting a predetermined number of frames to distribute (See Li col. 3, lines 39-43). The applicant should duly note that the claimed "*predetermined number of frames*" is found in Li's N number of enhancement layer data. The apparatus comprises the means for calculating a reduced amount of enhancement layers data to transmit in the predetermined number of frames (See Li col. 3, lines 59-64), and means for transmitting the reduced amount of enhancement layer data in the given interval (See Li col. 3, lines 58-67 and col. 4, lines 1-3). The applicant should also note that the claimed "*given interval*" is analogous to Li's interval disclosed in col. 1, lines 46-47.

Art Unit: 2613

It is noted that Li is silent about distributing the loss of bandwidth evenly over the predetermined number of frames as one of the factors for effecting the number of enhancement layers to be transmitted as specified in claim 7.

However, Mishra discloses distributing the loss of bandwidth evenly over the predetermined number of frames (See Mishra col. 9, lines 30-38).

Therefore, it is considered obvious that one skilled in the art at the time of the invention would recognize the advantage of modifying Li's apparatus and method for streaming scalable video by incorporating Mishra's step of distributing the loss of bandwidth evenly over the predetermined number of frames. The motivation for performing such modification in Li is to reduce the difference in image quality between different video streams so that all streams cover the same level of image quality as taught by Mishra (See Mishra col. 3, lines 4-14).

7. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li (US Patent no. 6,275,531) in view Mishra as applied to claim 1 above, and further in view of Chaddha (US Patent no. 5,742,892).

Regarding claim 9, the combination of Li and Mishra discloses streaming scalable video including a base layer data and variable enhancement layer data (See Li's Abstract). Transmitting the base layer for a given interval within a series of time intervals (See Li fig. 1, items 30 and 60, and col. 3, lines 20-21), selecting a predetermined number of frames to distribute (See Li col. 3, lines 39-43). The applicant should duly note that the claimed "*predetermined number of frames*" is found in Li's N number of enhancement layer data. Calculating a reduced amount of enhancement layers data to transmit in the predetermined number of frames (See Li col. 3, lines 59-64), and

transmitting the reduced amount of enhancement layer data in the given interval (See Li col. 3, lines 58-67 and col. 4, lines 1-3). The applicant should also note that the claimed "*given interval*" is analogous to Li's interval disclosed in col. 1, lines 46-47.

It is noted that Li does not specifically disclose determining loss of bandwidth occurring as one of the factors for effecting the number of enhancement layers to be transmitted as specified in claim 1.

However, Mishra discloses a method and apparatus for streaming scalable video including the step of determining loss of bandwidth occurring as one of the factors for effecting the number of enhancement layers to be transmitted (See Mishra col. 9, lines 54-67, col. 10, lines 1-19).

Therefore, it is considered obvious that one skilled in the art at the time of the invention would recognize the advantage of determining if a loss of bandwidth has occurred in a given interval, and would be motivated to look to Mishra's step of determining the loss to incorporate such step in Li's method and apparatus. The motivation for performing such determination is to avoid the degradation in the image quality due to a sudden loss of bandwidth as a result of network overload as taught by Mishra (See Mishra col. 1, lines 32-43).

It is also noted that although Li accomplishes the decoding of the multiplexed streams with the algorithm of flow diagrams 1100-1400 of fig. 11-14 (See Li col. 6, lines 13-15 and fig. 11-14), it is silent about the memory medium including code for streaming scalable video as specified in claim 9.

However, Chaddha discloses a memory medium including code for streaming scalable video (See Chaddha fig. 1, server 20 with memory medium 80, and col. 4, lines 27-58).

Therefore, it is considered obvious that one skilled in the art at the time of the invention would recognize the advantage of providing a memory medium including code in Li's server of the steps of streaming scalable video (which is suggested by Li since it provides a server along with the methods and algorithms as disclosed in col. 6, lines 13-15). The motivation for modifying Li is to satisfy the need to provide encoding such that a server storing the code outputs embedded data streams from which decoders may extract video having different spatial resolutions, temporal resolutions and data rates as taught by Chaddha (See Chaddha col. 1, lines 17-21 and col. 2, lines 44-48).

Regarding claim 10, Li discloses streaming scalable video including a base layer data and enhancement layer data (See Li's Abstract). Transmitting the base layer for a given interval (See Li fig. 1, items 30 and 60, and col. 3, lines 20-21), selecting a predetermined number of frames to distribute (See Li col. 3, lines 39-43). The applicant should duly note that the claimed "*predetermined number of frames*" is found in Li's N number of enhancement layer data. Calculating a reduced amount of enhancement layers data to transmit in the predetermined number of frames (See Li col. 3, lines 59-64), and transmitting the reduced amount of enhancement layer data in the given interval (See Li col. 3, lines 58-67 and col. 4, lines 1-3). The applicant should also note that the claimed "*given interval*" is analogous to Li's interval disclosed in col. 1, lines 46-47.

It is noted that Li does not specifically disclose determining loss of bandwidth occurring as one of the factors for effecting the number of enhancement layers to be transmitted as specified in claim 1.

However, Mishra discloses a method and apparatus for streaming scalable video including the step of determining loss of bandwidth occurring as one of the factors for

Art Unit: 2613

effecting the number of enhancement layers to be transmitted (See Mishra col. 9, lines 54-67, col. 10, lines 1-19).

Therefore, it is considered obvious that one skilled in the art at the time of the invention would recognize the advantage of determining if a loss of bandwidth has occurred in a given interval, and would be motivated to look to Mishra's step of determining the loss to incorporate such step in Li's method and apparatus. The motivation for performing such determination is to avoid the degradation in the image quality due to a sudden loss of bandwidth as a result of network overload as taught by Mishra (See Mishra col. 1, lines 32-43).

It is also noted that although Li accomplishes the decoding of the multiplexed streams with the algorithm of flow diagrams 1100-1400 of fig. 11-14 (See Li col. 6, lines 13-15 and fig. 11-14), it is silent about a memory which stores executable codes for streaming scalable video as specified in claim 10.

However, Chaddha discloses a memory, which stores executable codes for streaming scalable video (See Chaddha fig. 1, server 20 with memory medium 80, and col. 4, lines 27-58).


Therefore, it is considered obvious that one skilled in the art at the time of the invention would recognize the advantage of providing a memory which stores executable codes in for streaming scalable video in Li's server (which is suggested by Li since the prior art provides a server along with the methods and algorithms as disclosed in col. 6, lines 13-15). The motivation for modifying Li is to satisfy the need to provide encoding such that a server which stores the executable codes outputs embedded data streams from which decoders may extract video having different spatial resolutions, temporal resolutions and data rates as taught by Chaddha (See Chaddha col. 1, lines 17-21 and col. 2, lines 44-48).

8. Claim 5 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gims S Philippe whose telephone number is (703) 305-1107. The examiner can normally be reached on M-F (9:30-7:00) Second Monday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris S Kelley can be reached on (703) 305-4780. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9314.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-4700.


Gims S Philippe
Primary Examiner
Art Unit 2613

GSP

December 18, 2003